



# California Regional Water Quality Control Board San Diego Region



Over 50 Years Serving San Diego, Orange, and Riverside Counties

Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353  
(858) 467-2952 • Fax (858) 571-6972  
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

**Matthew Rodriguez**  
Secretary for  
Environmental Protection

**Edmund G. Brown, Jr.**  
Governor

November 29, 2011

In reply refer to:  
CIWQS Place No. 728606: WGhoram  
WDID No: 9 000001799

Mr. Charles E. Golden  
Vice President, Construction & Property Admin  
CVS Realty Company  
One CVS Drive  
Woonsocket, RI 02895

**SUBJECT: REVIEW OF SELF MONITORING REPORTS; ORDER NO. R9-2008-0002;  
NPDES NO. CAG919002**

**FACILITY: CVS (PREVIOUSLY LONGS) DRUG STORE PERMANENT FOUNDATION  
DEWATERING PROJECT LOCATED AT 5455 LA JOLLA BOULEVARD,  
LA JOLLA, CALIFORNIA**

Dear Mr. Golden:

The California Regional Water Quality Control Board, San Diego Region (San Diego Water Board) has reviewed the following reports:

MONITORING REPORTS REVIEWED FOR ORDER NO R9-2008-0002			
FREQUENCY	PERIOD	REPORT DATE	DATE RECEIVED
Quarterly	July – September 2011	October 28, 2011	October 28, 2011
Monthly	September 2011	October 3, 2011	October 4, 2011
	October 2011	November 7, 2011	November 8, 2011

Based upon our review of the information contained in the monitoring reports, the San Diego Water Board has the following comments:

**July – September 2011 Quarterly Monitoring Report:**

- The Giant Kelp growth portion of the chronic toxicity test exceeded the effluent limitation (limit) of 1.0 TUc with a value of 4.0 TUc.
- The Pacific Topsmelt growth portion of the acute toxicity test exceeded the effluent limitation (limit) of 0.3 TUa with a value of 0.41 TUa.

These exceedances are violations of Order No. R9-2008-0002.

The California Water Code (CWC) includes provisions for a variety of enforcement actions for the violations of the terms and conditions of Order No. R9-2008-0002, the CWC and the Clean Water Act. Violations of Order No. R9-2008-0002 may subject CVS Realty Company to further enforcement including Cleanup and Abatement Orders, Cease and Desist Orders, Administrative Assessment of Liability, and/or termination of enrollment under Order No. R9-2008-0002. Liability could be administratively imposed to a maximum of \$10,000 per violation plus \$10 per gallon of waste discharged. After an initial violation of the terms and conditions of the Order is discovered, prevention of further violations is necessary to prevent further enforcement actions.

Please review the monitoring and reporting schedule of Order No. R9-2008-0002 and ensure that monitoring reports are received at the San Diego Water Board office by the due dates indicated in the Order.

In the subject line of any response, please include the requested "In reply refer to:" information located in the heading of this letter. For questions pertaining to the subject matter, please contact Ms. Whitney Ghoram by e-mail at [WGhoram@waterboards.ca.gov](mailto:WGhoram@waterboards.ca.gov), or by phone at (858) 467-2967.

Respectfully,



ERIC S. BECKER, P.E  
Senior Water Resource Control Engineer  
Southern Watershed Unit

- Cc:
- ✓ Mr. Michael Slaby, Pure Effect Incorporated, 601 W. Valencia Drive, Fullerton, CA 92832
  - ✓ Mr. Kris McFadden, Deputy Director, City of San Diego Storm Water Pollution Prevention Division, 9370 Chesapeake Drive, Ste. 100, MS 1900, San Diego, CA 92123
  - ✓ Ms. Kelli Miller, H.M. Pitt Labs, Inc., 2434 Southport Way, Suite L, National City, CA 91950
  - ✓ Mr. Robert Thomas, Longs Drugs Stores, 141 North Civic Drive, Walnut Creek, CA 94596
  - ✓ Mr. Steven Martin, Birdrock Holdings LLC, 4431 Monaco Street, San Diego, 92107

Order No: R9-2008-0002  
NPDES No: CAG919002  
WDID No: 9 000001799  
CIWQS: Place 728606  
Party 316711

V: 912919, 912917  
RM: 382232

ESB:wjg

S:\SurfaceWaterBasinsBranch\Ghoram\CVS LaJolla Dewatering DMR letter-November-21- 2011